

FASTRAK DRY FREIGHT PROGRAM

When you need a quality truck body and you need it fast, Morgan's Fastrak Dry Freight body delivers! Morgan can provide a quick turnaround!



QUICK **TURNAROUND**



LOCATIONS NATIONWIDE



FAST DELIVERY



VARIOUS SIZES AVAILABLE





MORGAN'S PRE-CONFIGURED FASTRAK BODIES ARE THE ANSWER!

Choose the cargo interior package that you prefer between 4 different options. Numerous body sizes are available, as well as specific liftgates for this program. Start your order today and get on the road fast.



3/8" plywood sides, 1/2" plywood front for unobstructed cargo loading.



3/8" plywood sides and partially exposed wood slats to provide varying degrees of sidewall protection, 1/2" plywood front.



A wood scuff-guard with 6 rows of durable wood slats for easy cargo control anywhere along the perimeter.



No liner, for instances where tie downs are unnecessary and cargo is unlikely to shift.

STANDARD FEATURES						
Subframe	3" i-beam crossmembers on 12" centers with 4" longrail , mylar tape is applied between all steel subframe components and extruded aluminum lower bottom rails to prevent corrosion					
Floor	1- 1/8" laminated hardwood floor. Floor boards are ship lapped and pre-undercoated for protection from the elements					
Threshold	Steel galvanized angle flush to rear					
Rear Door	Overhead roll-up door					
Rear Frame	Galvannealed steel-painted imron white, includes built-in header design, clearance light protector and rain deflector, curbside and roadside grab-handles					
Roof	.032" one-piece aluminum sheet with anti-snag roof bows on 24" centers with crowned roof design which prevents water/ice pooling					
Side Wall	Extruded aluminum top and bottom rails with 1 3/8" deep extruded aluminum hat posts installed 16" on-center, provide superior structural support for your truck body and your payload. And the .040" aluminum skin exceeds industry standards. Aluminum is also corrosion-resistant, making it an excellent choice when it comes to protecting your cargo from the elements.					
Front End	Five-year limited warranty					
Bumper	4" tubular bumper with pooched surface and closure plate					
Interior Lighting	(1) Domelight with indicator switch mounted in cab dash					
Exterior Lighting	LED sealed clearance lights, per FMVSS 108 installed in front corner caps, side top rails and five across rear header					
Mounting	Full mount U-bolt					
Mudflaps	Morgan black					

			А	UTHO	ORIZ	ED B	ODY	COM	1B	INAT	IONS	5
			96"	Body W	idth							10
Heimht				Len	gths					Hatala		
Height -	12'	14'	16'	18'	20'	22'	24'	26'		Height	18'	
85"	⊘	0	⊘	⊘	⊘	⊘	⊘			97"	⊘	
91"	⊘	∅	⊘	⊘	⊘	⊘	⊘	⊘		103"	⊘	
97"	\otimes	8	⊘	⊘	⊘	⊘	⊘	⊘				
103"	\otimes	8	8	⊘	⊘	⊘	⊘					

102" Body Width								
Height	Lengths							
	18'	20'	22'	24'	26'			
97"	⊘	⊘	⊘	⊘	⊘			
103"	⊘	⊘	⊘	⊘	⊘			

	SELECTABLE LIFTGATE OPTIONS		
VENDOR	GATE MODEL	WIDTH	BED HT
Waltco	HLF/APBG-30 KN GALV 96EP BPR WR ROPE	96	46-60
Waltco	HLF/APBG-30 KN GALV 102EP BPR WR ROPE	102	46-60
Waltco	EMW-25LBPD 48 X 84 ST 96EP W/O BUMPER	96	37-44
Waltco	EMW-25LBPD 48 X 84 ST 102EP W/O BUMPER	102	37-44
Waltco	CW-20LBPD 36X72	96	34-45
Palfinger	ILP-33HPD 60X80 AL GA 96EP 9M 21 2-ST CB PLS	96	45-53
Palfinger	ILP-33HPD 60X80 AL GA 102EP 9M 21 2-ST CB PLS	102	45-53
Palfinger	PLR-25SGD 48 X 80 STL W/O BUMPER	96	38-52
Palfinger	PLR-25SGD 48 X 80 STL W/O BUMPER	102	38-52
Maxon	GPTB-3 AP .25 96EP GALV 2 STP CBL BPR 13.5 PE	96	46-55
Maxon	GPTB-3 AP .25 102EP GALV 2 STP CBL BPR 13.5 PE	102	46-55
Maxon	LG M TE-25LGD PNT 48X80 ST 96EP 1-STP BPR PE	96	38-44
Maxon	LG M TE-25LGD PNT 48X80 ST 102EP 1-STP BPR PE	102	38-44
Dhollandia US	RMM-33 60X85 AL GALV 96EP 2-STP FLEX	96	47-57
Dhollandia US	RMM-33 60X85 AL GALV 102EP 2-STP FLEX	102	47-57
Dhollandia US	RPM-25 50X85 AL GALV 96EP 1-STP BPR	96	39-43
Dhollandia US	RPM-25 50X85 AL GALV 102EP 1-STP BPR	102	39-43

NEED A DRY FREIGHT BODY QUICK? FASTRAK DELIVERS!

