



Stake Platform - MHP



Morgan's bulkhead design, provides the strength and protection you expect, plus added visibility to your cargo



Morgan recognizes the assault heavy-duty haulers may have to endure. That's why they designed in features such as -- structural outside rails for added platform strength. heavy-duty formed steel stake pockets, and steel rub-rails welded over side stake-pockets - to mitigate downtime, and help ensure that your MHP performs time and again!

STANDARD FEATURES

SUBFRAME - 4" i Beam Crossmembers On 12" Centers With 6" Structural Channel Longrails With Rack Pockets On Sides And Rear – Painted Black

BULKHEAD - Steel 48" High With Window – Painted Black

FLOOR - 1-5/16" Apitong, Paint Undercoating Applied To Underside Of Body

BUMPER - 5" Structural Bumper With Pooched Surface

EXTERIOR LIGHTS - Led Per Fmvss-108 Standards

MOUNTING - Full Mount-u Bolt

MUDFLAPS - Morgan 24" X 36" Black



MHP is HEAVY-DUTY making it the bench-mark by which others are n





With Morgan's MHP strength also means flexibility -- with options such as your choice of bumpers, cargo-restraint systems, lift-gates, tool-boxes, LED lighting, and cargo-controls – including cargo-restraint systems, tie-downs, hoists and other features to enhance safety and efficiency in transsporting even the most challenging loads



OPTIONS

Morgan Stake/Platform bodies are already the best built and equipped in the industry. But you can further enhance their performance with a wide range of options. From bumpers and cargo-restraint systems, to liftgates and much more, trust Morgan to exceed your highest expectations.

- Painted heavy-duty bulkhead with 4 vertical steel posts
- Smooth or diamond steel floor, steel over Apitong floor
- Rope hooks, chain hooks
- Toolboxes
- Heavy-duty tie-downs/bull rings in floor
- Floor pockets
- Variety of rack models available
- Load binders
- Model 3606 track for load binder
- Winch bar
- 8" structural channel longitudinals
- Various liftgates and bumpers available
- Conversion hoist
- Placards
- Lumber rollers

Options That Set the Standard



Specifications - Stake Platform MHP


	BODY WEIGHTS																
MODEL LENGTH		12'				14'					1	6'		18'			
RACK OPTION		W/R	ACKS	W/O1	RACKS	W/RACKS		W/O RACKS		W/RACKS		W/O RACKS		W/RACKS		W/O RACKS	
	BODY WIDTH	96"	102"	96"	102"	96"	102"	96"	102"	96"	102"	96"	102"	96"	102"	96"	102"
z	1-5/16" APITONG FLOOR	2191	2266	1968	2043	2442	2526	2200	2284	2707	2799	2413	2505	2948	3048	2635	2735
ELOOR OPTION	7 GA. SMOOTH STEEL ONLY	2424	2516	2201	2293	2713	2815	2471	2573	3015	3128	2721	2834	3294	3417	2981	3104
	3/16" STEEL DIAM. PLATE ONLY	2533	2632	2310	2409	2840	2950	2598	2708	3160	3282	2865	2988	3456	3590	3143	3277
	1/8" STEEL DIAM. OVER APITONG	2744	2857	2521	2634	3086	3214	2844	2972	3442	3584	3149	3290	3774	3930	3461	3617

	BODY WEIGHTS (Continued)																				
MODEL LENGTH 20'		0'			2	22'		24'				2	6'		28'						
	RACK OPTION	W/R	ACKS	W/O I	RACKS	W/R	ACKS	W/O1	RACKS	W/R.	ACKS	W/O I	RACKS	W/R	ACKS	W/O I	RACKS	W/R.	ACKS	W/O F	RACKS
	BODY WIDTH	96"	102"	96"	102"	96"	102"	96"	102"	96"	102"	96"	102"	96"	102"	96"	102"	96"	102"	96"	102"
z	1-5/16" APITONG FLOOR	3187	3296	2855	2964	3464	3581	3079	3195	3695	3821	3290	3416	3973	4107	3513	3647	4204	4346	3726	3868
OPTIO	7 GA. SMOOTH STEEL ONLY	3570	3704	3239	3383	3884	4029	3498	3643	4153	4309	3798	3903	4469	4635	4009	4175	4737	4914	4258	4435
LOOR	3/16" STEEL DIAM. PLATE ONLY	3750	3897	3419	3553	4083	4241	3696	3854	4369	4539	3964	4120	4703	4884	4244	4424	4989	5183	4510	4704
<u>E</u>	1/8" STEEL DIAM. OVER APITONG	4104	4275	3772	3906	4472	4657	4085	4270	4794	4993	4389	4544	5163	5377	4703	4917	5485	5713	5006	5800

Body Weights Include: 48" High MHP Bulkhead W/Window, 42" High Steel Racks On Sides Only (For Bodies With Racks), Mud Flaps, ICC Bumper, 6" Channel Longrails, Full Mounting. 60" Bulkhead Add 80 Pounds For 96" Body, 83 Pounds For 102" Body, Hoist Bodies Add 6.6 Pounds Per Foot For 8" Longrail. Rear Racks Add 74 Pounds For 96" Body, 77 Pounds For 102" Body.

LENGTH DIMENSIONS										
MODEL LENGTH	12'	14'	16'	18'	20'	22'	24'	26'	28'	
"D"-EXTERIOR LENGTH	148"	172"	196"	220"	244"	268"	292"	316"	340"	
"E"-LOADSPACE W/REAR RACKS	144-3/4"	168-3/4"	192-3/4"	216-3/4"	240-3/4"	264-3/4"	288-3/4"	312-3/4"	336-3/4"	
"E"-LOADSPACE W/O REAR RACKS	147-3/4"	171-3/4"	195-3/4"	219-3/4"	243-3/4"	267-3/4"	291-3/4"	315-3/4"	339-3/4"	

WIDTH DIMENSIONS										
EXTERIOR PLATFORM WIDTH	"A"- Exterior Width	"B" SIDE RAIL TO SIDE RAIL	"C" BETWEEN RACKS							
96	96"	91"	89-1/2"							
102	102"	97"	95-1/2"							





For More Information Contact Your Morgan Representative or Authorized Morgan Distributor

800-666-7426 **■** www.morgancorp.com

Follow us! **II**



